

|             |                 | Sprung    |                      |         | Shore |     | Art / Grösse |    |    |    |    |    |    |    |    |
|-------------|-----------------|-----------|----------------------|---------|-------|-----|--------------|----|----|----|----|----|----|----|----|
| Bezeichnung | Ø mm            | ca. 20°   | ca. 25°              | Gewicht | A     | C   | KR           | KL | KX | MR | ML | MX | GR | GL | GX |
|             | 2               | 37,3      | 55                   | 57      | 33,3  | 104 | 106          |    | x  |    |    |    |    |    |    |
|             | 01              | 37,0      | 12                   | 12      | 49,3  | 94  | 97           | x  |    |    |    |    |    |    |    |
|             | 01              | 37,5      | 21                   | 17      | 50,0  | 98  | 103          |    | x  |    |    |    |    |    |    |
|             | 01              | 37,1      | 13                   | 12      | 50,4  | 100 | 102          |    | x  |    |    |    |    |    |    |
| BC          | 02              | 37,9      | 3                    | 7       | 42,1  | 50  | 73           |    | x  |    |    |    |    |    |    |
| BC          | 02              | 37,9      | 2                    | 4       | 43,1  | 55  | 74           |    | x  |    |    |    |    |    |    |
|             | 02              | 37,5      | 5                    | 10      | 49,5  | 61  | 75           |    | x  |    |    |    |    |    |    |
| A           | 03              | 37,5      | 5                    | 7       | 34,1  | 41  | 58           |    | x  |    |    |    |    |    |    |
| A           | 03              | 38,3      | 5,5                  | 8       | 36,8  | 43  | 61           |    | x  |    |    |    |    |    |    |
| A           | 03              | 38,3      | 5                    | 10      | 35,7  | 36  | 60           |    | x  |    |    |    |    |    |    |
| A           | 03 (Ferdilack)  | 37,9      | 4                    | 7       | 36,1  | 43  | 67           |    | x  |    |    |    |    |    |    |
|             | 03              | 37,7      | 4                    | 9       | 41,0  | 53  | 73           | x  |    |    |    |    |    |    |    |
|             | 03              | 38,8      | 5                    | 5,5     | 35,0  | 51  | 62           |    | x  |    |    |    |    |    |    |
|             | 03 braunrosa    | 37,7      | 3                    | 5       | 40,7  | 53  | 74           |    | x  |    |    |    |    |    |    |
| HB          | 04              | 38,1      | 8                    | 11      | 47,1  | 92  | 94           |    | x  |    |    |    |    |    |    |
| HB          | 04              | 38,5      | 9                    | 13      | 48,6  | 85  | 95           |    | x  |    |    |    |    |    |    |
| HB          | 04              | 38,9      | 15                   | 17      | 52,3  | 95  | 100          |    | x  |    |    |    |    |    |    |
| OB          | 05              | 38,0      | 9                    | 8       | 40,7  | 94  | 94           |    | x  |    |    |    |    |    |    |
|             | 06              | 37,8      | 5                    | 6,5     | 46,4  | 62  | 83           | x  |    |    |    |    |    |    |    |
|             | 06              | 37,9      | 2,5                  | 4       | 48,1  | 70  | 86           | x  |    |    |    |    |    |    |    |
|             | 06              | 38,5      | 3                    | 4       | 51,0  | 71  | 85           |    | x  |    |    |    |    |    |    |
|             | 06              | 38,5      | 5                    | 6,5     | 48,4  | 65  | 82           |    | x  |    |    |    |    |    |    |
|             | 06              | 39,2      | 5                    | 6,5     | 49,5  | 65  | 80           |    |    |    | x  |    |    |    |    |
|             | 06              | 37,8      | 4                    | 6       | 46,5  | 74  | 85           |    | x  |    |    |    |    |    |    |
|             | 06              | 38,3      | 4                    | 7       | 46,3  | 70  | 81           |    | x  |    |    |    |    |    |    |
|             | 06              | 37,8      | 3                    | 4       | 47,5  | 72  | 86           |    | x  |    |    |    |    |    |    |
|             | 08              | 38,0      | 13                   | 16      | 49,8  | 77  | 87           |    | x  |    |    |    |    |    |    |
|             | 09              | 37,6      | 3                    | 7,5     | 43,8  | 75  | 96           | x  |    |    |    |    |    |    |    |
|             | 10              | 38,0      | 3,5                  | 6       | 48,2  | 64  | 83           |    | x  |    |    |    |    |    |    |
|             | 11              | 37,5      | 3                    | 6       | 46,8  | 47  | 78           | x  |    |    |    |    |    |    |    |
|             | 11              | 38,1      | 4                    | 7       | 41,4  | 59  | 78           |    |    | x  |    |    |    |    |    |
|             | 11              | 38,2      | 3                    | 5       | 49,8  | 59  | 77           |    |    | x  |    |    |    |    |    |
|             | 12 Liegeplatten | 37,9      | 5,5                  | 4,5     | 51,2  | 90  | 94           |    | x  |    |    |    |    |    |    |
|             | 13              | 37,0      | 2                    | 2,5     | 44,4  | 92  | 98           |    | x  |    |    |    |    |    |    |
|             | 13              | 38,6      | 2,5                  | 2       | 49,7  | 94  | 98           |    | x  |    |    |    |    |    |    |
|             | 14              | 37,1      | 3                    | 4       | 52,6  | 93  | 97           | x  |    |    |    |    |    |    |    |
|             | 14              | 38,5      | 16                   | 8       | 55,0  | 99  | 103          |    | x  |    |    |    |    |    |    |
|             | 14              | 37,6      | 1                    | 3       | 43,7  | 88  | 94           |    | x  |    |    |    |    |    |    |
|             | 16              | 36,4-36,6 | 14                   | 7       | 47,6  | 102 | 104          | x  |    |    |    |    |    |    |    |
| BR          | 20              | 37,4      | 8                    | 12      | 40,4  | 50  | 73           |    | x  |    |    |    |    |    |    |
|             | 21              | 38,0      | ausgehärtet + rissig |         | 55,4  | 100 | 102          |    | x  |    |    |    |    |    |    |

|             |                  | Sprung  |         |         | Shore |     | Art / Grösse |    |    |    |    |    |    |    |    |
|-------------|------------------|---------|---------|---------|-------|-----|--------------|----|----|----|----|----|----|----|----|
| Bezeichnung | Ø mm             | ca. 20° | ca. 25° | Gewicht | A     | C   | KR           | KL | KX | MR | ML | MX | GR | GL | GX |
|             | 21               | 38,7    | 25      | 31      | 58,0  | 94  | 96           |    | x  |    |    |    |    |    |    |
|             | 21               | 37,2    | 25      | 28      | 52,2  | 99  | 103          | x  |    |    |    |    |    |    |    |
|             | 21               | 39,2    | 27      | 29      | 61,1  | 100 | 104          |    | x  |    |    |    |    |    |    |
| N           | 22               | 38,2    | 11      | 15      | 37,8  | 56  | 73           | x  |    |    |    |    |    |    |    |
| N           | 22               | 38,3    | 12      | 17      | 39,8  | 58  | 75           |    | x  |    |    |    |    |    |    |
| N           | 22               | 37,5    | 14      | 20      | 37,7  | 53  | 70           |    | x  |    |    |    |    |    |    |
| HH          | 23               | 38,8    | 19      | 28      | 41,4  | 76  | 81           |    | x  |    |    |    |    |    |    |
| HH          | 23               | 38,8    | 14      | 18      | 45,3  | 77  | 88           |    | x  |    |    |    |    |    |    |
|             | 23 hellblau      | 39,0    | 23      | 29      | 43,2  | 88  | 97           |    |    |    | x  |    |    |    |    |
|             | 24               | 38,2    | 14      | 17      | 35,4  | 81  | 89           |    | x  |    |    |    |    |    |    |
| BN          | 25               | 38,8    | 13      | 20      | 41,4  | 84  | 88           |    | x  |    |    |    |    |    |    |
| AC          | 26               | 38,3    | 34      | 28      | 35,8  | 100 | 102          | x  | x  |    |    |    |    |    |    |
| AC          | 26               | 38,2    | 34      | 29      | 36,6  | 100 | 103          |    | x  |    |    |    |    |    |    |
| AC          | 26               | 38,3    | 33      | 26      | 35,7  | 100 | 103          |    | x  |    |    |    |    |    |    |
| AC          | 26               | 38,3    | 45      | 37      | 36,5  | 101 | 101          |    | x  |    |    |    |    |    |    |
|             | 27               | 36,8    | 21      | 17      | 44,5  | 98  | 101          |    | x  |    |    |    |    |    |    |
|             | 27               | 38,0    | 22      | 18      | 49,6  | 95  | 101          |    | x  |    |    |    |    |    |    |
|             | 28               | 38,6    | 4       | 17      | 47,4  | 48  | 63           | x  |    |    |    |    |    |    |    |
|             | 28               | 37,0    | 7       | 17      | 45,4  | 46  | 65           |    | x  |    |    |    |    |    |    |
|             | 29               | 37,6    | 22      | 27      | 40,6  | 53  | 73           | x  |    |    |    |    |    |    |    |
|             | 29               | 38,7    | 20      | 27      | 40,4  | 50  | 67           |    | x  |    |    |    |    |    |    |
|             | 29               | 38,3    | 23      | 25      | 30,9  | 52  | 66           |    | x  |    |    |    |    |    |    |
|             | 30               | 38,4    | 20      | 25      | 41,4  | 96  | 98           | x  |    |    |    |    |    |    |    |
| BB          | 40               | 37,9    | 17      | 21      | 37,4  | 52  | 72           |    | x  |    |    |    |    |    |    |
| SB          | 41               | 38,5    | 20      | 30      | 34,5  | 63  | 77           |    |    | x  |    |    |    |    |    |
| SB          | 41               | 38,0    | 26      | 36      | 33,1  | 62  | 73           |    |    | x  |    |    |    |    |    |
|             | 42               | 37,9    | 25      | 22      | 35,1  | 97  | 99           |    | x  |    |    |    |    |    |    |
| B           | 43               | 37,5    | 30      | 38      | 46,6  | 55  | 69           |    | x  |    |    |    |    |    |    |
| B           | 43               | 38,0    | 32      | 40      | 46,5  | 52  | 67           | x  |    |    |    |    |    |    |    |
| B           | 43               | 38,0    | 32      | 40      | 44,8  | 54  | 66           |    | x  |    |    |    |    |    |    |
| BO          | 44               | 37,7    | 36      | 43      | 42,1  | 45  | 67           | x  |    |    |    |    |    |    |    |
| BO          | 44               | 38,1    | 32      | 37      | 38,9  | 55  | 61           |    | x  |    |    |    |    |    |    |
| DO          | 46               | 38,1    | 28      | 34      | 33,8  | 64  | 74           |    | x  |    |    |    |    |    |    |
|             | 47               | 38,0    | 32      | 37      | 32,8  | 50  | 65           | x  |    |    |    |    |    |    |    |
|             | 47               | 38,2    | 40      | 45      | 32,1  | 42  | 50           |    | x  |    |    |    |    |    |    |
| H           | 48 ausgehärtet   | 38,3    | 37      | 40      | 48,8  | 88  | 89           | x  |    |    |    |    |    |    |    |
| H           | 48               | 38,2    | 24      | 31      | 51,8  | 100 | 102          |    | x  |    |    |    |    |    |    |
| H           | 48               | 38,6    | 25      | 27      | 51,2  | 93  | 97           |    | x  |    |    |    |    |    |    |
| H           | 48               | 37,5    | 30      | 32      | 46,7  | 82  | 88           |    | x  |    |    |    |    |    |    |
| H           | 48 mit Logo      | 38,2    | 27      | 30      | 52,0  | 93  | 96           |    | x  |    |    |    |    |    |    |
| H           | 48 dunkelviolett | 37,9    | 37      | 42      | 52,0  | 91  | 95           |    | x  |    |    |    |    |    |    |

|             |      | Sprung  |                            |         | Shore |    | Art / Grösse |    |    |    |    |    |    |    |    |
|-------------|------|---------|----------------------------|---------|-------|----|--------------|----|----|----|----|----|----|----|----|
| Bezeichnung | Ø mm | ca. 20° | ca. 25°                    | Gewicht | A     | C  | KR           | KL | KX | MR | ML | MX | GR | GL | GX |
|             | 49   | 38,5    | 39                         | 48      | 34,5  | 53 | 61           | x  |    |    |    |    |    |    |    |
|             | 49   | 37,6    | 35                         | 42      | 35,3  | 47 | 60           | x  |    |    |    |    |    |    |    |
|             | 50   | 37,3    | 30                         | 36      | 38,1  | 87 | 96           | x  |    |    |    |    |    |    |    |
|             | 50   | 37,5    | 25                         | 35      | 42,8  | 45 | 60           | x  |    |    |    |    |    |    |    |
|             | 51   | 38,6    | 24                         | 35      | 35,1  | 63 | 75           | x  |    |    |    |    |    |    |    |
|             | 52   | 37,9    | 24                         | 40      | 44,1  | 48 | 62           | x  |    |    |    |    |    |    |    |
|             | 53   | 38,5    | 34                         | 40      | 39,8  | 44 | 55           | x  |    |    |    |    |    |    |    |
|             | 58   | 38,7    | 14                         | 16      | 37,8  | 93 | 96           |    | x  |    |    |    |    |    |    |
|             | 60   | 39,5    | 62                         | 65      | 36,7  | 98 | 100          |    |    |    | x  |    |    |    |    |
|             | 60   | 39,5    | 70                         | 76      | 38,1  | 94 | 99           |    |    |    | x  |    |    |    |    |
|             | 60   | 40,0    | 67                         | 70      | 39,7  | 92 | 97           |    |    |    | x  |    |    |    |    |
|             | 60   | 38,6    | 71                         | 73      | 35,4  | 97 | 101          | x  |    |    |    |    |    |    |    |
| FT          | 61   | 38,0    | ausgehärtet + rissig       |         | 51,7  | 74 | 84           | x  |    |    |    |    |    |    |    |
| FT          | 61   | 37,8    | extrem ausgehärtet         |         | 52,1  | 91 | 87           |    | x  |    |    |    |    |    |    |
| FT          | 61   | 37,5    | 36                         | 36      | 50,2  | 75 | 84           |    | x  |    |    |    |    |    |    |
| FT          | 61   | 38,0    | 39                         | 39      | 51,7  | 74 | 86           |    | x  |    |    |    |    |    |    |
|             | 62   | 37,7    | 64                         | 70      | 36,2  | 48 | 61           | x  |    |    |    |    |    |    |    |
|             | 62   | 38,6    | 55                         | 57      | 34,8  | 46 | 66           |    | x  |    |    |    |    |    |    |
| D           | 63   | 38,4    | verformt + Liegeplatten    |         | 59,6  | 77 | 82           |    |    | x  |    |    |    |    |    |
| D           | 63   | 38,0    | 31                         | 32      | 54,9  | 75 | 85           |    |    | x  |    |    |    |    |    |
| D           | 63   | 37,3    | 35                         | 32      | 54,8  | 68 | 83           |    |    | x  |    |    |    |    |    |
| D           | 63   | 38,0    | Liegeplatten + ausgehärtet |         | 53,8  | 87 | 85           |    |    | x  |    |    |    |    |    |
|             | 63   | 37,7    | 60                         | 65      | 56,3  | 67 | 80           |    |    | x  |    |    |    |    |    |
| RT          | 64   | 37,7    | 27                         | 33      | 38,8  | 64 | 78           |    |    | x  |    |    |    |    |    |
|             | 65   | 37,0    | verformt + Liegeplatte     |         | 56,4  | 62 | 70           |    | x  |    |    |    |    |    |    |
|             | 66   | 37,4    | 32                         | 38      | 48,0  | 78 | 91           | x  |    |    |    |    |    |    |    |
|             | 66   | 37,5    | 32                         | 38      | 47,8  | 78 | 93           |    | x  |    |    |    |    |    |    |
|             | 67   | 37,5    | 42                         | 44      | 28,0  | 32 | 45           | x  |    |    |    |    |    |    |    |
|             | 67   | 37,4    | 37                         | 38      | 29,5  | 35 | 46           |    | x  |    |    |    |    |    |    |
|             | 68   | 37,4    | 53                         | 55      | 35,9  | 52 | 74           |    | x  |    |    |    |    |    |    |
|             | 69   | 38,5    | 70                         | 74      | 35,5  | 55 | 71           | x  |    |    |    |    |    |    |    |
|             | 69   | 38,5    | 70                         | 74      | 31,1  | 55 | 70           |    | x  |    |    |    |    |    |    |
|             | 69   | 37,5    | 72                         | 76      | 30,8  | 62 | 77           |    | x  |    |    |    |    |    |    |
|             | 70   | 38,3    | 68                         | 70      | 43,8  | 42 | 60           | x  |    |    |    |    |    |    |    |
|             | 70   | 37,5    | 70                         | 70      | 41,9  | 48 | 59           |    | x  |    |    |    |    |    |    |
|             | 70   | 37,5    | 64                         | 70      | 41,2  | 46 | 56           |    | x  |    |    |    |    |    |    |
|             | 70   | 36,9    | 63                         | 69      | 37,8  | 59 | 67           |    | x  |    |    |    |    |    |    |
|             | 71   | 37,6    | rissig + Materialverlust   |         | 33,3  | 44 | 60           | x  |    |    |    |    |    |    |    |
|             | 71   | 38,0    | 30                         | 33      | 32,3  | 33 | 59           |    |    | x  |    |    |    |    |    |
|             | 71   | 38,0    | 54                         | 56      | 30,3  | 47 | 61           |    |    | x  |    |    |    |    |    |
|             | 71   | 38,0    | 54                         | 59      | 28,9  | 43 | 60-67        |    |    | x  |    |    |    |    |    |

|             |             |           | Sprung                  |         |         | Shore  |         | Art / Grösse |    |    |    |    |    |    |    |    |
|-------------|-------------|-----------|-------------------------|---------|---------|--------|---------|--------------|----|----|----|----|----|----|----|----|
| Bezeichnung |             | Ø mm      | ca. 20°                 | ca. 25° | Gewicht | A      | C       | KR           | KL | KX | MR | ML | MX | GR | GL | GX |
|             | 71          | 37,7      | 43                      | 47      | 37,9    | 45     | 59      | x            |    |    |    |    |    |    |    |    |
|             | 72          | 37,5-37,7 | 76                      | 80      | 33,6    | 61     | 76      | x            |    |    |    |    |    |    |    |    |
|             | 72          | 37,7      | 75                      | 75      | 33,6    | 68     | 79      |              | x  |    |    |    |    |    |    |    |
|             | 72          | 37,9      | 59                      | 62      | 34,3    | 61     | 74      |              | x  |    |    |    |    |    |    |    |
|             | 72          | 37,8-38,0 | 66                      | 71      | 32,3    | 62     | 75      | x            |    |    |    |    |    |    |    |    |
|             | 73          | 37,4      | 39                      | 45      | 55,0    | 65     | 83      |              | x  |    |    |    |    |    |    |    |
|             | 77          | 37,4      | 31                      | 42      | 42,2    | 48     | 64      |              | x  |    |    |    |    |    |    |    |
| F           | 80          | 38,5-38,7 | verformt + ausgehärtet  |         | 78,6    | 70     | 86      |              |    | x  |    |    |    |    |    |    |
| F           | 80          | 39,5      | verformt + ausgehärtet  |         | 82,3    | 70     | 80      |              |    |    | x  |    |    |    |    |    |
| F           | 80          | 39,5      | verformt + ausgehärtet  |         | 81,2    | 72     | 87      |              |    |    |    | x  |    |    |    |    |
| F           | 80          | 37,5      | 27                      | 30      | 73,6    | 55     | 71      |              |    | x  |    |    |    |    |    |    |
|             | 81          | 37,0-37,2 | 18                      | 21      | 82,9    | 55     | 74      | x            |    |    |    |    |    |    |    |    |
|             | 81 Reißlack | 38,5      | 23                      | 25      | 89,0    | 52     | 79      |              | x  |    |    |    |    |    |    |    |
|             | 81          | 38,3      | 23                      | 25      | 85,5    | 62     | 78      |              | x  |    |    |    |    |    |    |    |
|             | 81          | 38,2      | 48                      | 52      | 84,9    | 73     | 80      |              |    | x  |    |    |    |    |    |    |
|             | 82          | 39,0      | 17                      | 20      | 124     | 89     | 99      |              |    | x  |    |    |    |    |    |    |
|             | 82          | 37,4      | 12                      | 15      | 106     | 89     | 97      |              | x  |    |    |    |    |    |    |    |
|             | 83          | 38,0      | 12                      | 16      | 66,6    | 81     | 89      | x            |    |    |    |    |    |    |    |    |
|             | 83          | 38,0      | 15                      | 17      | 63,3    | 80     | 89      |              | x  |    |    |    |    |    |    |    |
|             | 84          | 38,5      | 19                      | 20      | 72,0    | 70     | 83      |              | x  |    |    |    |    |    |    |    |
| AB          | 85          | 38,1-38,6 | verformt + ausgehärtet  |         | 147     | 93-100 | 100-103 |              | x  |    |    |    |    |    |    |    |
| DT          | 86          | 39,3      | 22                      | 27      | 67,6    | 72     | 81      |              |    |    | x  |    |    |    |    |    |
| DT          | 86          | 39,3      | 24                      | 30      | 67,4    | 70     | 81      |              |    |    |    | x  |    |    |    |    |
| DT          | 86          | 38,9      | 22                      | 27      | 71,4    | 70     | 84      | x            |    |    |    |    |    |    |    |    |
| DT          | 86          | 38,3      | 22                      | 30      | 65,2    | 73     | 84      |              | x  |    |    |    |    |    |    |    |
|             | 87          | 37,9      | verformt + Liegeplatten |         |         |        |         | x            |    |    |    |    |    |    |    |    |
|             | 87          | 37,6      | 36                      | 40      | 70,0    | 55     | 79      | x            |    |    |    |    |    |    |    |    |
|             | 87          | 37,6      | verformt + Liegeplatten |         | 74,0    | 62     | 74      |              | x  |    |    |    |    |    |    |    |
|             | 88          | 37,8-38,0 | 29                      | 32      | 110     | 83     | 93      |              | x  |    |    |    |    |    |    |    |
|             | 88          | 37,8      | 27                      | 33      | 109     | 88     | 97      |              | x  |    |    |    |    |    |    |    |
|             | 90          | 36,8      | 24                      | 27      | 120     | 88     | 99      | x            |    |    |    |    |    |    |    |    |
|             | 90          | 37,8      | 32                      | 34      | 136     | 93     | 98      |              | x  |    |    |    |    |    |    |    |
|             | 91          | 37,2-37,5 | 49                      | 50      | 81,2    | 63     | 72      |              | x  |    |    |    |    |    |    |    |