

			Sprung			Shore		Art / Grösse								
Bezeichnung		Ø mm	ca. 20°	ca. 25°	Gewicht	A	C	KR	KL	KX	MR	ML	MX	GR	GL	GX
OS	nicht weiter geführt	38,7	81	83	43,3	64	81	x								
	2	37,4	55	57	33,3	104	106		x							
	01	37,0	12	12	49,3	94	97	x								
	01	37,5	21	17	50,0	98	103		x							
	01	37,1	13	12	50,4	100	102		x							
BC	02	37,9	3	7	42,1	50	73		x							
BC	02	37,9	2	4	43,1	55	74		x							
	02	37,5	5	10	49,5	61	75		x							
A	03	37,5	5	7	34,1	41	58		x							
A	03	38,3	5,5	8	36,8	43	61		x							
A	03	38,3	5	10	35,7	36	60		x							
A	03	37,7	4	9	41,0	53	73	x								
A	03	38,8	5	5,5	35,0	51	62		x							
A	03 braunrosa	37,7	3	5	40,7	53	74		x							
HB	04	38,1	8	11	47,1	92	94		x							
HB	04	38,5	9	13	48,6	85	95		x							
HB	04	38,9	15	17	52,3	95	100		x							
OB	05	38,0	9	8	40,7	94	94		x							
	06	37,8	5	6,5	46,4	62	83	x								
	06	37,9	2,5	4	48,1	70	86	x								
	06	38,5	3	4	51,0	71	85		x							
	06	38,5	5	6,5	48,4	65	82		x							
	06	39,2	5	6,5	49,5	65	80					x				
	06	37,8	4	6	46,5	74	85		x							
	06	38,3	4	7	46,3	70	81		x							
	06	37,8	3	4	47,5	72	86		x							
	08	38,0	13	16	49,8	77	87		x							
	09	38,9	0,5	1	48,2	70	76	x								
	09	38,2	0,5	0,5	45,3	62	74		x							
	10	38,0	3,5	6	48,2	64	83		x							
	11	37,5	3	6	46,8	47	78	x								
	11	38,1	4	7	41,4	59	78			x						
	11	38,2	3	5	49,8	59	77			x						
	12 Liegeplatten	37,9	5,5	4,5	51,2	90	94		x							
	13	37,0	2	2,5	44,4	92	98		x							
	13	38,6	2,5	2	49,7	94	98		x							
	14	37,1	3	4	52,6	93	97	x								
	14	38,5	16	8	55,0	99	103		x							
	14	37,6	1	3	43,7	88	94		x							
	16	36,4-36,6	14	7	47,6	102	104	x								
BR	20	37,4	8	12	40,4	50	73		x							

		Sprung			Shore		Art / Grösse								
Bezeichnung	Ø mm	ca. 20°	ca. 25°	Gewicht	A	C	KR	KL	KX	MR	ML	MX	GR	GL	GX
21	38,0	ausgehärtet + rissig		55,4	100	102		x							
21	38,7	25	31	58,0	94	96		x							
21	37,2	25	28	52,2	99	103	x								
21	39,2	27	29	61,1	100	104		x							
N 22	38,2	11	15	37,8	56	73	x								
N 22	38,3	12	17	39,8	58	75		x							
N 22	37,5	14	20	37,7	53	70		x							
HH 23	38,8	19	28	41,4	76	81		x							
HH 23	38,8	14	18	45,3	77	88		x							
23 hellblau	39,0	23	29	43,2	88	97				x					
24	38,2	14	17	35,4	81	89		x							
BN 25	38,8	13	20	41,4	84	88		x							
AC 26	38,3	34	28	35,8	100	102	x	x							
AC 26	38,2	34	29	36,6	100	103		x							
AC 26	38,3	33	26	35,7	100	103		x							
AC 26	38,3	45	37	36,5	101	101		x							
27	36,8	21	17	44,5	98	101		x							
27	38,0	22	18	49,6	95	101		x							
28	38,6	4	17	47,4	48	63	x								
28	37,0	7	17	45,4	46	65		x							
29	37,6	22	27	40,6	53	73	x								
29	38,7	20	27	40,4	50	67		x							
29	38,3	23	25	30,9	52	66		x							
30	38,4	20	25	41,4	96	98	x								
BB 40	37,9	17	21	37,4	52	72		x							
BB 40	37,9	17	21	37,4	52	72		x							
SB 41	38,5	20	30	34,5	63	77			x						
SB 41	38,0	26	36	33,1	62	73			x						
42	37,9	25	22	35,1	97	99		x							
B 43	37,5	30	38	46,6	55	69		x							
B 43	38,6-38,9	33	36	50,1	52	63		x							
B 43	38,0	32	40	46,5	52	67	x								
B 43	38,0	32	40	44,8	54	66		x							
B 43	38,1	28	34	40,3	52	68	x								
B 43	38,2	26	33	38,0	66	77		x							
BO 44	37,7	36	43	42,1	45	67	x								
BO 44	38,1	32	37	38,9	55	61		x							
M 45	38,8	25	33	35,1	65	73	x								
M 45	37,8	33	38	37,2	56	67	x								
DO 46	38,1	28	34	33,8	64	74		x							
47	38,0	32	37	32,8	50	65	x								

		Sprung			Shore		Art / Grösse								
Bezeichnung	Ø mm	ca. 20°	ca. 25°	Gewicht	A	C	KR	KL	KX	MR	ML	MX	GR	GL	GX
47	38,2	40	45	32,1	42	50		x							
H 48 ausgehärtet + rissig	38,3	37	40	48,8	88	89	x								
H 48	38,2	24	31	51,8	100	102		x							
H 48	38,6	25	27	51,2	93	97		x							
H 48	37,5	30	32	46,7	82	88		x							
H 48 mit Logo	38,2	27	30	52,0	93	96		x							
H 48 dunkelviolett	37,9	37	42	52,0	91	95		x							
49	38,5	39	48	34,5	53	61		x							
49	37,6	35	42	35,3	47	60		x							
50	37,3	30	36	38,1	87	96		x							
50	37,5	25	35	42,8	45	60		x							
51	38,6	24	35	35,1	63	75	x								
52	37,9	24	40	44,1	48	62	x								
53	38,5	34	40	39,8	44	55	x								
53	38,8	33	38	41,1	46	54		x							
58	38,7	14	16	37,8	93	96		x							
60	39,5	62	65	36,7	98	100				x					
60	39,5	70	76	38,1	94	99					x				
60	40,0	67	70	39,7	92	97					x				
60	38,6	71	73	35,4	97	101	x								
FT 61	38,0	ausgehärtet + rissig		51,7	74	84	x								
FT 61	37,8	extrem ausgehärtet		52,1	91	87		x							
FT 61	37,5	36	36	50,2	75	84		x							
FT 61	38,0	39	39	51,7	74	86		x							
62	37,7	64	70	36,2	48	61	x								
62	38,6	55	57	34,8	46	66		x							
D 63	38,4	verformt + Liegeplatten		59,6	77	82			x						
D 63	38,0	31	32	54,9	75	85			x						
D 63	37,3	35	32	54,8	68	83			x						
D 63	38,0	Liegeplatten + ausgehärtet		53,8	87	85			x						
63	37,7	60	65	56,3	67	80			x						
RT 64	37,7	27	33	38,8	64	78			x						
RT 64	38,6	27	33	36,5	56	71	x								
65	37,0	verformt + Liegeplatten		56,4	62	70		x							
66	37,4	32	38	48,0	78	91	x								
66	37,5	32	38	47,8	78	93		x							
67	37,5	42	44	28,0	32	45	x								
67	37,4	37	38	29,5	35	46		x							
68	37,4	53	55	35,9	52	74		x							
69	38,5	70	74	35,5	55	71	x								
69	38,5	70	74	31,1	55	70		x							

		Sprung			Shore		Art / Grösse								
Bezeichnung	Ø mm	ca. 20°	ca. 25°	Gewicht	A	C	KR	KL	KX	MR	ML	MX	GR	GL	GX
69	37,5	72	76	30,8	62	77		x							
70	38,3	68	70	43,8	42	60	x								
70	37,5	70	70	41,9	48	59		x							
70	37,5	64	70	41,2	46	56		x							
70	36,9	63	69	37,8	59	67		x							
71	37,6	rissig + Materialverlust		33,3	44	60	x								
71	38,0	30	33	32,3	33	59			x						
71	38,0	54	56	30,3	47	61			x						
71	38,0	54	59	28,9	43	60-67			x						
71	37,7	43	47	37,9	45	59	x								
72	37,5-37,7	76	80	33,6	61	76	x								
72	37,7	75	75	33,6	68	79		x							
72	37,9	59	62	34,3	61	74		x							
72	37,8-38,0	66	71	32,3	62	75	x								
73	37,4	39	45	55,0	65	83		x							
77	37,4	31	42	42,2	48	64		x							
F 80	38,5-38,7	verformt + ausgehärtet		78,6	70	86			x						
F 80	39,5	verformt + ausgehärtet		82,3	70	80				x					
F 80	39,5	verformt + ausgehärtet		81,2	72	87					x				
F 80	37,5	27	30	73,6	55	71			x						
81	37,0-37,2	18	21	82,9	55	74	x								
81 Reißlack	38,5	23	25	89,0	52	79		x							
81	38,3	23	25	85,5	62	78		x							
81	38,2	2	3	82,0	58	78		x							
81	38,2	48	52	84,9	73	80			x						
82	39,0	17	20	124	89	99			x						
82	37,4	12	15	106	89	97		x							
83	38,0	12	16	66,6	81	89	x								
83	38,0	15	17	63,3	80	89		x							
84	38,5	19	20	72,0	70	83		x							
AB 85	38,1-38,6	verformt + ausgehärtet		147	93-100	100-103		x							
DT 86	39,3	22	27	67,6	72	81				x					
DT 86	38,9	22	27	71,4	70	84	x								
DT 86 dunkelbraun	38,4	18,5		77,0	74	84	x								
DT 86	39,3	24	30	67,4	70	81				x					
DT 86	38,3	22	30	65,2	73	84		x							
87	37,9	verformt + Liegeplatten					x								
87	37,6	36	40	70,0	55	79	x								
87	37,6	verformt + Liegeplatten		74,0	62	74		x							
88	37,9	29	32	110	83	93	x								
88 deformiert	38,0	23	27	127	94	100		x							

		Sprung				Shore		Art / Grösse								
Bezeichnung		Ø mm	ca. 20°	ca. 25°	Gewicht	A	C	KR	KL	KX	MR	ML	MX	GR	GL	GX
	88 (rosa)	37,8	27	33	109	88	97		x							
	90	36,8	24	27	120	88	99	x								
	90	37,8	32	34	136	93	98		x							
	91	37,2-37,5	49	50	81,2	63	72		x							